


SL120 HYBRID CASE GUIDE




Attaching the SL120 Hybrid case to your iOS device and SL120 Sled:

SL120 "Hybrid Cases" have two main parts:

- A) A soft silicone inner case (that fits over the SL120 and mobile device)
- B) A hard plastic outer case (which fits over the silicone inner case "set.")


- 1) Insert the lightning connector of the SL120 Sled into the iOS device in a parallel motion.



2) Attach the soft silicone portion of the case first (without the plastic outer case) to the iPhone attached to the SL120 Sled from Step 1 (we can call this the iPhone/SL120 set). The bottom of the SL120 should be inserted into the soft silicone first, and then the rest should wrap around the top of the iOS device so the set fits snugly inside.




3) Combine the silicone case, iPhone, and SL120 "set" you created in Step 2 and push it inside the hard plastic outer case. Push the silicone inner case tightly so that it fits snugly inside the outer case.




Removing the iOS device and SL120 from the Hybrid Case:

1) Gently push the top corners of the case back with both thumbs over index fingers to expose the iOS device.



2) Next, pull the top of the iOS device in a **parallel** direction to carefully disconnect it from the SL120 sled lightning connector



3) Once the iOS device is removed, then you may remove the SL120 Sled from the case with ease.

*****CAUTION***** Use extreme caution when removing the iOS device **in a parallel direction!** If it is removed in a non-parallel direction or at too much of an angle, it **will** break the Lightning Connector and will need to be sent in for repair.