


HT730

Cradle

How to fix HT730 1-slot cradle on the table?

There is a hole for you to use a screw that is no more than 3.5mm in diameter or you may break the plastic material.



Accessory

In HT730, Why do I use the part number 1979-900003G stylus does not work?

Please set the finger mode to glove mode.

Settings→Accessibility→Touch Pad Sensitivity→Glove mode

HW

Why the HT730 became shutdown when the HT730 attached or detached the USB disk from the USB port during the battery swap?

Do not attach or detach the USB disk from the USB port during battery swap, the HT730 will have forced power shutdown else.

The Zebra TC58 device also has the same situation.



OS

In HT730, How to disable tool bar?

Settings→ System→ Gestures→ System navigation→ enable Gesture navigation and disable 3-button navigation

In HT730, How to change the font size?

Settings→ Accessibility→ Font size

In HT730, How to update the O.S via OTA or SD card?

1.OTA:

http://download1.tw.ute.com/cs/firmware/HT730/HT730_OS_Update_Instructions_OTA.pdf

2.SD card:

http://download1.tw.ute.com/cs/firmware/HT730/HT730_OS_Update_Instructions_SD_Card.pdf

In HT730, How to goes to the Android recovery menu via hardware keys?

http://download1.tw.ute.com/cs/firmware/HT730/HT730_How_to_goes_to_Android_Recovery_Menu.pdf

How to change the HT730's different screen sizes?

1. Settings→Accessibility→Display size

2. Settings→Display→Advanced→Display size



In HT730, How to toggle the software keyboard on and off via the HW keypad button?

You can press the P1 button to toggle the software keyboard on and off.

In HT730, Why do we try to connect on an SSID hidden from WiFi? it's not possible to connect it.

You need to change the Hidden network from No to Yes then you can find the hidden SSID and connect it.

Please follow the below setting:

Settings→ Network & internet→+ add network→ Network name(Enter the SSID)
→Security(Must be same security protocol)→advanced options→ Hidden
network(No→ Yes)

HT730 + wavelink telnet, there will be a problem of slow response during use.

Please disable the Power Save Mode of WLAN;Settings→ WLAN Advanced→

Power Save Mode → Disable.

How to the HT730 do the screenshot by the hardware key combination?

For the 38 keys = user press the yellow key first and then press the TAB key (volume down icon) + Power key.

For the 29 keys = user press the blue key first and then press the BS key (volume down icon) + Power key.



In HT730, How to disable WiFi Detect Captive Portal Mode?

Scan the StageGo QR code to disable it.

Captive Portal Checking Disable

EA320,EA500Plus,EA510,EA520,EA630,EA630_Plus,HT330,HT380,HT730,PA760,TB85,TB85Plus,WD200

1



2



or

setting StageGo:Configuration->wireless->WiFi - Detect Captive Portal Mode->disable

In HT730, How to get and set the Wi-Fi country code?

https://a2401.s3.amazonaws.com/cs/firmware/HT730/HT730_WLAN_Advanced_wifi_country_code.doc



Software

In HT730, How to enable the display port function?

Settings→System→Advanced→Developer options→APPS

Enable Force activities to be resizable

Enable freeform windows

Enable Force desktop mod

In HT730, Do we have any tools/samples that can help customers add control of the scanservice with Xamarin?

Please get it from below URL

http://a2401.s3.amazonaws.com/cs/app/USS/com.unitech.scannertest_Xamarin_Signed.zip

How to pull up the soft keypad on the HT730?

When there is a number or text to be entered, pressing the P1 key will pop up the SIP (Soft Input Panel) keyboard on the screen, and when you press the P1 key again, the SIP keyboard will disappear.

Once you do not want this P1 function you can open the APP named KeyRemap and tap PROG_1(296) →Action→UNKNOWN

How to set the HT730's wifi country code to Israel?

https://a2401.s3.amazonaws.com/cs/firmware/HT730/Bugzilla_5079_HT730_WiFi_channels_12_13_in_Israel.doc



USS

In HT730, How to make scanning data smoothly capture on Iventi

Wavelink (Velocity)?

Please sdo below setup on

1. Adjust Wavelink setting to get scanning data by Intend.
- 2 In USS need to do below setting
 - a. USS --> Append Settings --> Terminator --> set to blank
 - b. USS --> App Settings --> Disable "Scan to Key"
 - c. USS --> App Setting --> Intend action --> Change to "com.wavelink.intent.action.BARCODE"
 - d. USS --> App Setting --> Intend Extra --> Change to "com.wavelink.extra.data_string"

Why does the HT730 not support the ability to adjust the illumination LED of the scanner?

Due to the difference in PSoC in the Engine of the scanner.

Adjustable: N3603, N4603, N5703(HS7)

Non-adjustable: N6603, N6703

In HT730, How to turn off the scanner's illumination LED?

Please follow the attachment to turn off the scanner's illumination LED.

Settings→USS→Scanner settings→Trigger Modes→Aim only

https://a2401.s3.amazonaws.com/cs/firmware/HT730/HT730_scanner_illumination_LED_turn_off.png



In HT730, How to remove all occurrences of an asterisk: * in a barcode?

Use rule.txt

q,1,t,0,0

m,1,r,*,

